


	MODEL	POWER AMPLIFIERS	PRICE (USD)
	MC2KW	<ul style="list-style-type: none"> • 1 x 2000 Watts • Reference Series • Quad Differential Design • Separate Positive & Negative Amplifiers • 3 Full Sets of Terminals for Tri-Wiring @ 8, 4 & 2 Ohms • Silent Convection Cooling • Safe Operation to Below 2 Ohms 	\$40,000.00
	MC1.2KW	<ul style="list-style-type: none"> • 1 x 1200 Watts • Quad-Differential Design • Exclusive McIntosh Power Assurance System • Peak Responding Wattmeter • LED Fiber-Optic Illumination 	\$12,000.00
	MC601	<ul style="list-style-type: none"> • 1 x 600 Watts • Output Autoformers • Quad-Balanced Design • ThermalTrak™ Output Transistors • 90 amps Output Current Capability • Over 140 Joules of Energy Storage • McIntosh Custom Gold Plated Binding Posts 	\$7,000.00
	MC301	<ul style="list-style-type: none"> • 1 x 300 Watts • Output Autoformers • Quad-Balanced Design • ThermalTrak™ Output Transistors • Slim Chassis Design • Power Guard to Prevent Clipping • McIntosh Custom Gold Plated Binding Posts 	\$5,000.00
	MC2301	<ul style="list-style-type: none"> • 1 x 300 Watts • Balanced Unity-Coupled Vacuum Tube Design • Peak Responding Wattmeter • Two Balanced Inputs/Outputs • Remote Power Control with Meter Light Control • Large Gold Plated Five-Way Binding Posts • ½" Thick Glass Front Panel with Tube View 	\$12,000.00
	MC452	<ul style="list-style-type: none"> • 2 x 450 Watts • Output Autoformers • Quad-Balanced Design • ThermalTrak™ Output Transistors • 75 amps Output Current Capability • Over 200 Joules of Energy Storage • McIntosh Custom Gold Plated Binding Posts 	\$8,500.00
	MC302	<ul style="list-style-type: none"> • 2 x 300 Watts • Output Autoformers • ThermalTrak™ Output Transistors • 60 amps Output Current Capability • Over 140 Joules of Energy Storage • McIntosh Custom Gold Plated Binding Posts 	\$6,500.00
	MC275	<ul style="list-style-type: none"> • 2 x 75 Watts • New Version VI Model • Same feature set as MC275LE but with polished stainless chassis • Sentry Monitor Protection • Unique Tube Illumination to Indicate Operational Status • Front Apron Power Switch • Stereo/Mono Switch • Patented McIntosh Speaker Binding Posts • Power Control to Enable Remote On/Off with McIntosh Preampifiers 	\$5,500.00
	MC303	<ul style="list-style-type: none"> • 3 x 300 Watts • Output Autoformers • Peak Responding Wattmeters 2 • LED Fiber-Optic Illumination • Exclusive McIntosh Power Assurance System • 60 Amps Output Current • Large Gold Plated Five-Way Binding Posts 	\$11,000.00
	MC205	<ul style="list-style-type: none"> • 5 x 200 Watts • Two-Zone Operation • DPM Circuit Design Ensures Full Power at 4 or 8 Ohms • Peak Responding Wattmeters • LED Fiber-Optic Illumination • Exclusive McIntosh Power Assurance System • Remote Power Control Trigger • Multi-Way Speaker Binding Posts 	\$7,000.00


McIntosh®


LEGENDARY PERFORMANCE™


September 2015


Pricelist


MODEL	POWER AMPLIFIERS	PRICE (USD)
 MC207	<ul style="list-style-type: none"> • 7 x 200 Watts • Two-Zone Operation • DPM Circuit Design Ensures Full Power at 4 or 8 Ohms • Peak Responding Wattmeters • LED Fiber-Optic Illumination • Exclusive McIntosh Power Assurance System • Remote Power Control Trigger, Multi-Way Speaker Binding Posts 	\$9,000.00


 MC8207	<ul style="list-style-type: none"> • 7 x 200 Watts • Two-Zone Operation • DPM Circuit Design Ensures Full Power at 4 or 8 Ohms • Theater-Friendly LED Meters • LED Fiber-Optic Panel Illumination • Exclusive McIntosh Power Assurance System • Remote Power Control Trigger, Multi-Way Speaker Binding Posts 	\$6,000.00
---	--	-------------------


MODEL	INTEGRATED POWER AMPLIFIERS	PRICE (R)
 MA8000	<ul style="list-style-type: none"> • 2 x 300 Watts • Exclusive McIntosh Power Assurance System • High Output Current Capability • 8 band Equalizer, MM & MC Phono-Stage • Autoformers, 15 inputs, Home Theatre Pass Through • Fiber-Optic Illuminated Glass Front Panel • Peak Reading Wattmeters, 1/4" Headphone Jack 	\$10,000.00

 MA7900	<ul style="list-style-type: none"> • 2 x 200 Watts • Exclusive McIntosh Power Assurance System • MM & MC Phono-Stage • Digital USB input • Fiber-Optic Illuminated Glass Front Panel • Peak Reading Wattmeters • 1/4" Headphone Jack - high drive 	\$7,000.00
---	--	-------------------

 MA6700	<ul style="list-style-type: none"> • 2 x 200 Watts • Exclusive McIntosh Power Assurance System • MM & MC Phono-Stage • Direct-Coupled Amplifier • Fiber-Optic Illuminated Glass Front Panel • Peak Reading Wattmeters • 1/4" Headphone Jack - high drive 	\$6,500.00
---	---	-------------------

 MA5200	<ul style="list-style-type: none"> • 2 x 100 Watts • Power Guard to Prevent Clipping and Speaker Damage • 4 High Level Unbalanced & 1 High Level Balanced Inputs • Direct-Coupled Amplifier • Moving magnet Phono Section • 32-bit, 192kHz D/A Converter with Wide Dynamic Range and Extremely Low Distortion • 1/4" Headphone Jack, 3 Digital Inputs: 1 Coaxial, 1 optical, 1 USB 	\$4,500.00
---	---	-------------------

MODEL	HEADPHONE AMPLIFIER	PRICE (R)
 MHA100	<ul style="list-style-type: none"> • Headphone Amplifier (headphones not included) • Compact size for placement flexibility • Uses Autoformer to produce 3 headphone impedance ranges of 8-40, 40-150 and 150-600 ohms • Headphone Crossfeed Director (HXD) images high quality recordings like conventional speakers • Power Guard to Prevent Clipping and Speaker Damage • 6 Inputs: 4 Digital, 1 Balanced, 1 Unbalanced • 1 Preamp Output, 1 Headphone Jack (1/4") • 50 watt stereo speaker outputs, 5 step Boost Control, polished Stainless Steel Chassis 	\$4,500.00

 MHP 1000 Headphones	<ul style="list-style-type: none"> • Same superior sound characteristics as McIntosh speakers • Closed headphone design isolates outside noise and distractions • Lightweight design and minimal clamping pressure permit long, relaxing listening sessions • Headband and ear pads are a premium, natural, soft leather for luxurious comfort • Engineered to work with any current or legacy McIntosh headphone amplifier • Cables included: one 1 meter w/ 3.5mm stereo connector, one 3 meter w/ 6.3mm stereo connector 	\$2,000.00
--	---	-------------------

McIntosh®

LEGENDARY PERFORMANCE™

September 2015

Pricelist

MODEL	PRE-AMPLIFIERS	PRICE (USD)
 C1000C	<ul style="list-style-type: none"> • Controller for Reference Series Multi-Chassis C1000 Preamp • Separates Power Supply and Logic Circuits from Audio Circuits • Linear Supply w/ Heavy Regulation • Controls both Tube and Solid State Preamplifiers 	\$11,000.00
 C1000P	<ul style="list-style-type: none"> • Solid State Audio Chassis for Reference C1000 Preamp • Fully Balanced, Dual-Mono Design • ACTIVE MC & MM Phono Stages with Adjustable Loading • Pass-Through Mode • Output Meters 	\$11,000.00
 C1000C	<ul style="list-style-type: none"> • Controller for Reference Series Multi-Chassis C1000 Preamp • Separates Power Supply and Logic Circuits from Audio Circuits • Linear Supply w/ Heavy Regulation • Controls both Tube and Solid State Preamplifiers 	\$11,000.00
 C1000T	<ul style="list-style-type: none"> • Vacuum Tube Audio Chassis for Reference C1000 Preamp • Fully Balanced, Dual-Mono Design • ACTIVE MC & MM Phono Stages with Adjustable Loading • Pass-Through Mode • Output Meters 	\$11,000.00
 C500C	<ul style="list-style-type: none"> • Controller for Dual-Chassis C500 Preamp • Separates Power Supply and Logic Circuits from Audio Circuits • Linear Supply w/ Heavy Regulation • Controls Either C500 Tube or Solid State Preamplifiers 	\$6,500.00
 C500P	<ul style="list-style-type: none"> • Solid State Audio Chassis for C500 Preamp • Fully Balanced, Dual-Mono Design • ACTIVE MC & MM Phono Stages with Adjustable Loading • Pass-Through Mode, Output Meters 	\$6,500.00
 C500C	<ul style="list-style-type: none"> • Controller for Dual-Chassis C500 Preamp • Separates Power Supply and Logic Circuits from Audio Circuits • Linear Supply w/ Heavy Regulation • Controls Either C500 Tube or Solid State Preamplifiers 	\$6,500.00
 C500T	<ul style="list-style-type: none"> • Vacuum Tube Audio Chassis for C500 Preamp • Fully Balanced, Dual-Mono Design • ACTIVE MC & MM Phono Stages with Adjustable Loading • Pass-Through Mode, Output Meters 	\$6,500.00
 C2500	<ul style="list-style-type: none"> • Vacuum Tube Preamplifier • 7 Single-Ended Inputs, 2 Balanced (XLR) Inputs • ACTIVE MC & MM Phono Stages with Adjustable Loading • 2 Pairs Switched plus 1 Pair Fixed Outputs, 1 Pair Balanced (XLR) Outputs • Fiber Optic Panel Illumination, Front Panel Headphone • 1 Digital Asynchronous USB INPUT, 4 Digital outputs (2 optical, 2 coax) 	\$7,000.00
 C50	<ul style="list-style-type: none"> • Solid state Preamplifier • 4 assignable digital and one dedicated USB input are offered • New eight band tone controls are programmable by input selection • Two dedicated phono sections, one moving magnet and one moving coil are supported 	\$7,000.00
 C48	<ul style="list-style-type: none"> • Solid state Preamplifier • 8 RCA source inputs including two phono • Both Moving Magnet and Moving Coil Phono preamps • 2 user assignable Balanced inputs+C4 • 4 assignable digital S/PDIF inputs - two Coax and two Optical • USB Audio and USB Control through PC or MAC 	\$5,000.00
 D100	<ul style="list-style-type: none"> • Digital Stereo Preamplifier • 2 optical, 2 coaxial and 1 USB input • 8 channel, 32-bit, 192kHz D/A converter with Wide Dynamic Range and Extremely Low Distortion • 1 Set each: Balanced & Unbalanced Fixed and Balanced & Unbalanced Variable Audio Outputs • Power and Data Control Ports • Compact Form Factor of just under 4" in height 	\$2,500.00
 D150	<ul style="list-style-type: none"> • Digital Stereo Preamplifier • Supports DSD64, DSD128, DSD256, DXD352.8kHz and DXD 384kHz • 2 optical, 2 coaxial, 1 USB input and 1 DIN • 8 channel, 32-bit, 192kHz D/A converter with Wide Dynamic Range and Extremely Low Distortion • 1 Set each: Balanced & Unbalanced Fixed and Balanced & Unbalanced Variable Audio Outputs • Power and Data Control Ports, and compact Form Factor of just under 10cm in height 	\$3,000.00
MODEL	AV CONTROL CENTER	PRICE (R)
 MX151	<ul style="list-style-type: none"> • HDMI Performance Upgrade Including 3D Pass-Through • 12-Channel Audio Video Processor with Room Perfect Room Correction • 12 Output Channels Include: 10 Balanced (7.1 + 2 Balanced Expansion Channels) 2 Single-Ended • Expansion Channels 8 Single-Ended Outputs (7.1) 1 Single-Ended Zone B Stereo Output 	\$12,500.00
 MX121	<ul style="list-style-type: none"> • 7.1 Ch Audio Video Processor with Audyssey room correction • HDMI 1.4a 3D video switching • 6 HDMI inputs & 2 outputs • 7.1 single-ended inputs and 7.1 single-ended & balanced outputs • 1 balanced stereo & 7 single-ended stereo inputs + MM phono input • Stereo audio + video outputs for Zone 2 & stereo audio outputs for Zone 3 • Supports Apple i-devices through USB or Airplay wireless connections 	\$6,000.00
 MEN220 ROOM CORRECTION	<ul style="list-style-type: none"> • Room Correction+ Custom EQ Application (that runs on any Windows PC) • 2-Way Crossover for true bi-amping of any loudspeaker • Audio Inputs: 2 single ended, 2 balanced • Audio Outputs: High-Pass 2 Single-Ended, 2 Balanced Low-Pass 2 Single-Ended 	\$5,000.00

Subject to change without notice
v1.5.2015, E & OE

page 3

McIntosh®

LEGENDARY PERFORMANCE™

September 2015

Pricelist

MODEL	SOURCE COMPONENTS	PRICE (USD)
 MCD550	<ul style="list-style-type: none"> Fully balanced in both analog output and internal digital to analog conversion Four 32 bit/192kHz, PCM/ DSD Digital Audio converters USB Audio digital input will accept data rates up to 24 bit/ 192kHz Both Stereo Balanced and Unbalanced analog outputs Built in headphone amplifier Exclusive McIntosh Quad Balanced DACs, Four per Channel ESS Technology's HyperStream DAC Balanced variable and fixed level output control circuitry for true preamplifier functionality 	\$6,500.00
 MVP891	<ul style="list-style-type: none"> Universal Blu-Ray DVD/CD Player 3D, HDMI1.4a Video, All-format Audio Fast Disc Loading Separate 7.1 and Stereo Audio Decoding Quad-Balanced 32bit 192 kHz Audio DACs Built in Movie Decoding with 7.1 Analog Outputs Network Features Include: BD-Live, Divix HD, You Tube and File Sharing over Home Network 	\$5,500.00
 MCT450	<p>Get the most from your CDs with the MCT450 SACD/CD Transport. The MCT450 can be paired with any product that contains digital inputs. This includes select home theater processors, integrated amplifiers and preamplifiers. Digital balanced, coaxial, optical and DIN outputs are available, giving you flexibility in connecting the MCT450 to the rest of your system. All common disc types are compatible with the MCT450, including SACD, CD, CD-R, and CD-RW (MP3 and WMA). A twin laser optical pickup assures optimal disc reading while 2x read speed provides better reading of damaged CDs and CD-R/RWs. Your discs are carefully handled by a premium aluminum die cast CD tray. Power control and data ports simplify the MCT450's operational state from other McIntosh system components. The entire unit is housed in a classic McIntosh styled, polished stainless steel chassis with a black glass front panel and brushed aluminum end caps.</p>	\$65,000.00
 MR87	<p>AM and FM stations may be luxuriously tuned using the weighted tuning knob and full scale linear tuning dial. Up to 20 stations in both the AM and FM band may be stored in memory. Stations may be scanned with either the front panel controls or remotely from the included handheld remote control. Preset scan is the third way to tune. Advanced DSP tuning minimizes multipath tuning noise for clear, musical audio quality.</p>	\$4,500.00
 MT10	<p>With tracking force, anti-skate and cartridge position preset at the factory, the McIntosh MT10 delivers high performance LP playback with minimal set up. A custom tonearm features a rigid, dural-aluminum arm-tube gimbaled in two sapphire (horizontal) and two ceramic (vertical) bearings for the least possible friction. A .5mV moving coil cartridge is included, and features an ebony body with an elliptical stylus. Enjoy a new level of music with the MT10 turntable. This source component will help make your home theater system even better.</p>	\$10,500.00
 MT5	<p>The MT5 turntable is engineered so that each part synergistically combines to produce superb record playback – tracking force, anti-skate force, cartridge overhang, and arm height are all preset for maximum performance. While the construction of the MT5 is meticulous, the setup is simple. In a few easy steps, you'll be ready to enjoy your favorite vinyl recordings. The MT5 maintains classic McIntosh styling by taking full advantage of the chassis materials used to suppress noise, resonance and coloration so the only sound produced is that which is on your records.</p>	\$6,500.00
 MB100	<p>With music now being created, stored and distributed in an assortment of ways, you need a simple yet sophisticated device to manage it all. The MB100 Media Bridge does just that by connecting you to all your favorite web based and hard drive stored digital music and allows it all - including uncompressed, lossless 24-bit/192kHz files - to be enjoyed in legendary McIntosh sound</p>	\$6,000.00
MODEL	ACCESSORIES	price (R)
 MPC1500	<p>The MPC1500 is an AC Isolation transformer, AC switching hub with 12 rear panel AC Outlets that have programmable Power Control options. Front and rear panel status LED indicators are used along with front panel, backlit meters displaying Amperage and Voltage</p>	\$5,000.00
 Mc AIRE	<p>Network Input (RJ45, 10/100 Base-T; Wireless 802.11, WPA; Apple AirPlay) USB Input, Type A Connector with Host Mode Music Streaming; 1Amp Charging for iPhone and iPod AUX Input Two 4 inch Woofers (dual acoustic ports); Two 2 inch Inverted Dome Midranges; Two 3/4 inch Dome Tweeters</p>	\$3,000.00
 Mc CLOCK	<p>The McIntosh Clock boast our trademark glass front pannel and two of our blue meters , One to show the hour and the other to show minutes.</p>	\$1,800.00
 TM 3	<p>The McIntosh TM3 AM/FM Tuner Module combines extraordinary sensitivity and superb audio performance with 50 kHz increment tuning. Recent developments in circuit miniaturization and software-based tuner technology combine with legendary McIntosh audio engineering in the McIntosh TM3 -- and it delivers what tuner aficionados crave most -- brute-force reception capability with remarkably low background noise. Simply stated, the McIntosh TM3 Tuner Module serves up a wider range of great sounding radio programming.</p>	\$800.00
MODEL	ANNIVERSARY SYSTEM	PRICE (R)
 MXA 70	<ul style="list-style-type: none"> Compact system 2 x 50 Watts Pair of specifically designed 8-ohm 2-way speakers 6 Inputs: 4 Digital, 1 Balanced, 1 Unbalanced 1 Preamp Output, 1 Headphone jack (1/4") Uses Autoformer to produce 3 headphone impedance ranges of 8-40, 40-150 and 150-600 ohms Headphone Crossfeed Director (HXD) images high quality recordings like conventional speakers Power Guard to Prevent Clipping and Speaker Damage 5 Step Bass Boost Control, polished Stainless Steel Chassis 	\$6,000.00

Subject to change without notice
v1.5.2015, E & OE


MODEL	LOUDSPEAKERS	PRICE (USD)
	<ul style="list-style-type: none"> Reference Series Dual-Column Line-Source 110 Total Drivers Six 12" Aluminum Cone Woofers Sixty-Four 2" Titanium Midranges Forty 3/4" Titanium Tweeters 16 Hz - 45 kHz Response 75 watts Min Power 2000 watts Max Continuous Power 8-Ohm Impedance 	\$55,000.00
	<ul style="list-style-type: none"> Reference Series Center Channel with Integrated Stand 16 Hz – 45 kHz Response Custom Aluminum Enclosure 2000 watts Max Continuous Power 2,000 Watts of Rated Power Bi/Tri-wire - Bi/Tri Amp Capability Massive Crossover 	\$40,000.00
	<ul style="list-style-type: none"> Extruded Aluminum Column 3-Way Line-Source 16 Hz – 20 kHz Response Ported, 3-Way Design 1,200 Watts Max Continuous Power Handling Two 10" Extended Excursion LD/HP® Woofers Forty-four 2" Titanium Midrange Superior Imaging Twenty-eight 3/4" Titanium tweeters 	\$22,500.00
	<ul style="list-style-type: none"> Center Channel with Integrated Stand 16 Hz – 20 kHz Response 1,200 Watts Max Continuous Power Handling Three-Way McIntosh Arc Array Design Two 10" Extended Excursion Poly Cone Woofers Thirty-Two 2" Inverted Aluminum Dome Midrange Drivers Twenty 3/4" titanium tweeters 	\$22,500.00
	<ul style="list-style-type: none"> Column, 3-Way Point-Source 20 Hz – 45 kHz Response Three 8" HP/LD Woofers 19-Element Midrange/Tweeter Array consisting of: <ul style="list-style-type: none"> Twelve 2" Midrange Seven 20mm Tweeters 600 Watts Max Continuous Power Handling Single, Bi and Tri-Amp Wiring Capability 	\$11,000.00
	<ul style="list-style-type: none"> Matching Center Channel for XCS200 80 Hz – 45 kHz Response 600 Watts Max Continuous Power Handling Two 8" Cone Woofers 8 2" Inverted Aluminum Dome Midrange Drivers 5 3/4" titanium dome tweeters 	\$7,000.00
	<ul style="list-style-type: none"> True 3-way compact bookshelf speaker 40Hz to 45 kHz frequency response 1 x 6" LDHP Woofer, 2 x 2" titanium mid/tweeters, 1 x 3/4" titanium super tweeter 300-Watt music power-handling Patented McIntosh binding posts Front-panel McIntosh logo illumination using Power Control Premium cabinet finishes include Red Walnut, Gloss Black and Pear Maple 	\$2,000.00
	<ul style="list-style-type: none"> True 4-way floor-standing tower speaker 30Hz to 45 kHz frequency response 4 x 6" LDHP woofers, 8 x 2" titanium midrange, 2 x 2" titanium tweeters, 1 x 3/4" titanium super tweeter 600-Watt music power handling Dual sets of patented McIntosh binding posts enable bi-wire or bi-amplification Front-panel McIntosh logo illumination using Power Control Premium cabinet finishes include Red Walnut, Gloss Black and Pear Maple 	\$5,000.00
	<ul style="list-style-type: none"> True 3-way center-channel speaker 80Hz to 45 kHz frequency response 2 x 6" LDHP Woofer, 2 x 2" titanium mid/tweeters, 1 x 3/4" titanium super tweeter 300-Watt music power-handling Voiced to match XR50 & XR100 Patented McIntosh binding posts Premium cabinet finishes include Red Walnut, Gloss Black and Pear Maple 	\$2,500.00

McIntosh®

LEGENDARY PERFORMANCE™

September 2015

Pricelist

	MODEL	LOUDSPEAKERS	PRICE (USD)
	HT30-IW	<ul style="list-style-type: none"> • Dipole Surround Speaker • IN-Wall Design • THX Licensed • 200 Watts Max Continuous Power Handling • Two 5" Polypropylene Woofers • Two 1" Aluminum Dome Tweeters • Paint-able Frame & Metal Grill SOLD IN PAIRS*	\$2,800.00
	HT30-OW	<ul style="list-style-type: none"> • Dipole Surround Speaker • ON-Wall Design • THX Licensed • 200 Watts Max Continuous Power Handling • Two 5" Polypropylene Woofers • Two 1" Aluminum Dome Tweeters • Paint-able Frame & Metal Grill SOLD IN PAIRS*	\$2,800.00
	CS100	<ul style="list-style-type: none"> • Round IN-Ceiling 8" 3-Way Loudspeaker • One 8" Copolymer Cone Woofer • One 3-1/2" Neo Copolymer Cone Midrange • One 1" Aluminum Dome Tweeter • 200 Watts Max Continuous Power Handling • Rotating Baffle Design • High Power Handling • Bi-Amplification Hookup • Gold 	\$1,250.00
	RK100	New Construction Rough-In Kit for CS100	\$45.00
	WS350	<ul style="list-style-type: none"> • IN-Wall 3-Way Speaker • 200 Watts Max Continuous Power Handling • 5-Tweeter Bessel Array • One 8" Woofer • One 4" Midrange • Five 1" Dome Tweeters • Deep-Drawn Sealed Aluminum Enclosure • Paint-able Frame & Metal Grille 	\$2,200.00