


Part Number	Code	Wireless Controllers	RRP incl VAT
 10-210483-19	SURFIR	SURFIR® Companion Remote provides a companion remote for use with the RTIPanel and Virtual Panel apps. Tracks page changes to stay in sync with one or more apps, Inexpensive and Requires no direct programming, Includes eight buttons that can be custom labeled, Integrated switch to select between 433MHz (one-way) and 2.4GHz (two-way) operation, works with any XP series control processor, battery low indicator, Uses 4 AAA batteries	R 3 070,00
 10-210503-12	T1-B+	The T1-B+ allows all other factory remote controls to be combined into one simple, ergonomic user interface providing powerful one-handed system control. Featuring a sleek new industrial design and perfect assortment of keypad buttons for commonly used functions, the T1-B+ can operate today's sophisticated media system, no matter how complex, at an affordable price.	R 8 020,00
 10-210505-14	T2i	Offering many of the features of a high-end remote control, such as a color touchscreen, dual-RF capability, and fully programmable interface, the sophisticated device allows users to leverage advanced technologies at a budget-friendly price.	R 10 985,00
 10-210504-13	T2x	The remarkable T2x is the fifth generation of RTI's renowned T2 remote control platform. Featuring a edge to edge 2.8" display, both grip sensors and accelerometer for instant on control. Touch screen allows for gesture control. The unit boasts dual RF capability as well as improved WiFi®.	R 18 580,00
 10-210521-12	T3x	The flagship controller from RTI. Precision crafted with a 3.5" flush-mount high-resolution touchscreen and fully programmable soft-touch buttons, this handheld beauty has exceptional ergonomics. Building on the technological advancements of its predecessors, the T3x redefines the expectations of what is possible with a remote control, starting with grip sensors, an accelerometer, two-way control, WiFi®, dual RF, and more. The amazing T3x takes the level of innovation to new heights with haptic feedback on the touchscreen, which gives the user a subtle vibration as confirmation of a button press. The built-in camera and microphone are yet another example of the advanced capabilities of the T3x, providing video intercom support directly on the remote.	R 19 790,00
Code	Wired Controllers	RRP incl VAT	
 10-210492-19	RKM-1+	RKM-1+ 9 button Single Gang multi-room LED keypad to control distributed audio system (white, black and light almond faceplates included)	R 4 390,00
 10-210527-18	RK1+ 2B	2 button Lighted In-wall Universal System Controller (Black, White and Light Almond)	R 4 170,00
 10-210528-19	RK1+ 4B	4 button Lighted In-wall Universal System Controller (Black, White and Light Almond)	R 4 170,00
 10-210529-20	RK1+ 8B	8 button Lighted In-wall Universal System Controller (Black, White and Light Almond)	R 4 170,00
 10-210486-22	KX-2	2.8" QVGA LCD with integrated touchscreen, 12 assignable/ programmable hard buttons, Integrated wired Ethernet with PoE, IR output drives up to 300m, proximity and light sensors.	R 7 690,00
 10-210512-12	CX-7	The CX7 has a 7" LCD touchpanel with adjustable tilt, allowing the display to be angled straight up to nearly flat. The CX7 can even be mounted inverted under a cabinet utilizing the included mounting bracket. Additional features include wired and wireless Ethernet for two-way control, digital video (motion JPEG) and web browsing, while analog audio/video inputs and stereo speakers provide video viewing from sources such as satellite TV or security cameras.	R 30 790,00
 10-210547-20	KX3	The KX3 is a unique, hybrid device that combines the capabilities of an in-wall touchpanel and an advanced control processor.* The result is an enhanced automation solution that delivers control simplicity and tremendous power in one cost-effective unit. Featuring a 3.5" high-resolution color touchscreen, two-way feedback and intercom capabilities, the KX3 performs beautifully in residential settings. The innovative touchpanel also shines in commercial applications such as classrooms and conference rooms where the built-in control processor and room status LED's offer additional flexibility. With a sleek, refined design and amazing feature set "under the hood", users will never know how much power is at their fingertips.	R 17 590,00
 10-210484-20	KX-7	800 x 480 WVGA LCD with integrated multi-touch capacitive touch screen, Composite, S-Video or Component video input at up to 480i, 576i, 480p or 576p, 10/100 Base-T and Integrated 802.11 Wireless Ethernet, Built-in bi-directional RS-232 port and high output IR port for direct control. Powered using power supply or PoE (Power over Ethernet), Runs RTI one-way and 2-way drivers without a separate control processor	R 30 790,00













Authorised dealer pricelist

February 2016
sales@hfxgroup.com
(011) 869 0135

	Part Number	Code	Central Processors	RRP incl VAT
	10-210520-11	RP-4	The second generation of RTI's RP-1 processor, the RP-4 is designed to provide reliable one-way operation of audio/video and other electronic systems using RTI's family of wireless RF interfaces and the RTIPanel App. A small, cost-effective package with expanded control options, the RP-4 is the perfect control system for single room installations such as home theaters, media centers, and bedrooms.	R 8 350,00
	10-210443-15	XP-3	The XP-3 is a powerful remote control processor designed to automate and enhance the operation of electronics in smaller scale residential and commercial installations. With a robust 533MHz CPU and 128MB of nonvolatile flash memory, the XP-3 offers a remarkable value with an impressive feature set that is unmatched in its class.	R 9 890,00
	10-210446-18	XP-6	The XP-6 is the perfect centerpiece of any professionally installed control system, designed to automate and enhance the operation of A/V, security, lighting, HVAC, and countless other devices in a commercial or residential environment.	R 10 990,00
	10-210506-15	XP-8s	The XP-8s is a high-end remote control processor for automating the operation of electronic systems such as A/V, lighting, security and HVAC in homes and office buildings. The second generation of the popular XP-8 advanced control processor, the accelerated XP-8s kicks control into high-gear with even more processing power and additional memory. Increased performance combined with a real time/multitasking operating system, tremendous expandability and compatibility with any RTI controller or app, make the XP-8s the perfect solution for large-scale and complex projects.	R 34 090,00
		Code	Distributed Audio / Electronics	RRP incl VAT
	10-210497-24	AD-4x	Let the music move you with the AD-4x audio distribution system from RTI. Go to the exercise room to summon your iPod®, listen to broadcast radio in the kitchen, internet radio in the backyard, and a CD in the living room - all at the same time. This compact audio distribution system contains both a matrix switching pre-amp and a built-in power amplifier. The four local source inputs can be augmented with four remote source inputs, making it easy to listen to music from your kitchen iPod dock or office PC.	R 18 690,00
	10-210496-23	AD-8x	Perfect in larger residential and commercial installations where flexibility is important, the AD-8x Audio Distribution System combines a 16 channel audio amplifier with a matrix-switching preamplifier. This provides the ability to listen to eight different audio sources in any zone. In addition, up to four of the audio sources can come from other rooms, allowing sources like an iPod or PC to be accessed from other locations, away from the rack. Meanwhile, the integrated Cool Power® amplifier provides 25 watts per channel of crystal clear sound. Used with RTI controllers and processors the AD-8x provides complete control with two-way communication for zone-independent status feedback.	R 35 190,00
	10-210455-18	CP-450	The CP-450 is designed to add more power to an audio distribution system, at a moderate price. Equipped with a 50 watt per channel Cool Power® Amplifier, the CP-450 is perfect for installations using the AD-8 Audio Distribution System that require a couple extra speakers for those bigger rooms or maybe adding another room to a zone.	R 14 290,00
	10-210456-19	CP1650	Utilizing Cool Power technology to expand the capabilities of an AD-8 audio distribution system, the CP-1650 is perfect in residential and commercial installations where larger rooms need more speakers and areas such as an outdoor patio need to be added to an existing zone. Designed to be an easy and cost effective way to double the power of the AD-8 output, having the additional 50 watts per channel solves those installation puzzles. If the power needs even more boost, you can bridge two channels with a simple flip of a switch, for a whopping 100 watts per channel.	R 30 790,00
	10-210343-14	RSP-1	The RSP-1 connect to the AD-4 to allow access to an audio source in a remote location	R 1 640,00

Part Number	Code	Licenses and Apps	RRP incl VAT
	10-210458-21	RTIPanel / Premium iPad License - Single Device This license will allow one Apple iPad, iPhone or iPod Touch to connect to a single XP control processor.	R 3 950,00
	10-210457-20	RTIPanel / Standard iPhone License - Single Device This license will allow one Apple iPhone or iPod Touch to connect to a single XP control processor.	R 2 740,00
	10-210501-10	RTIPanel / Multi iPad License - Five Devices This license will allow up to five Apple iPad, iPhone or iPod Touch devices to connect to a single XP control processor.	R 13 740,00
	10-210491-18	ANDROID RTIPanel / Premium Android Tablet This license is required for Android devices with displays 5.5 inches and larger.	R 4 390,00
	10-210489-25	ANDROID RTIPanel / Standard Android Phone This license is required for Android smart phones (displays smaller than 5.5 inches).	R 2 740,00
	10-210468-22	VPLC RTI's Virtual Panel app will allow you to control and monitor the electronics in your environment through an RTI XP series control processor from a PC running Microsoft Windows®.	R 3 950,00
	Code	IR emitter	RRP incl VAT
	10-210268-20	vIRsa Mouse Designed with the professional integrator in mind, its built to outperform all others. With flexible film adhesive which conforms to curved surfaces with separate holder that stays attached, allowing easy removal and replacement	R 280,00
	10-210450-13	vIRsa Holder Package of mounting holders for vIRsa Mice (sold in 10 pack only)	R 550,00
	Code	Accessories	RRP incl VAT
	10-210479-24	IPE-4 The IPE-4 IR Emitter Connecting Block provides four infrared output ports for convenient expansion of infrared signal distribution when used with RTI control processors.	R 1 090,00
	10-210467-21	ESC-2 The ESC-2 Ethernet to Serial Converter provides a convenient way to add two RS-232 ports to an RTI XP series control processor. The ESC-2 supports two-way communication.	R 3 130,00
	10-210493-20	PCM-4 With 4 multi-purpose output ports and an adjustable device ID, the PCM-4 provides the flexibility and expandability to increase the output capabilities of the XP-8 Control Processors to accommodate larger projects.	R 4 170,00
	10-210195-19	CPB-1 The CPB-1 Control Port Connecting Block provides a cost effective solution for one-room installations such as classrooms, that require an in-wall controller and both infrared and RS-232 control of local devices.	R 3 130,00
	10-210205-11	CB-8 The CB-8 is an installation accessory designed to provide convenient and reliable power connections for up to 8 RTI in-wall keypads, touchpanels and other devices.	R 3 510,00

Part Number	Code	Accessories	RRP incl VAT	
	10-210178-20	ZM-24	The ZM-24 transceiver module provides bi-directional communication between two-way enabled RTI remote controls and control processors utilizing Zigbee® wireless communication.	R 3 130,00
	10-210039-16	RM-433	The RM-433 is a radio frequency receiving device that operates at 433MHz. It is designed to receive signals that are transmitted by RTI universal system controllers.	R 3 130,00
	10-210043-11	IR-PRO	The IR-PRO is an infrared code capture system that is specifically designed for system integration professionals.	R 9 890,00
	10-210216-13	ZB-Pro	The ZB-Pro assists with the setup of the RTI 2.4GHz ZigBee® network.	R 3 510,00
	10-210013-08	VPS-1	The VPS-1 Voltage Power Sensor monitors the on and off status of almost any electronic component.	R 1 530,00
	10-210015-10	CM-232	The CM-232 serial communication module provides an RS-232 interface to almost any RS-232 enabled device.	R 1 530,00
	10-210480-16	RCM-4	The RCM-4 is equipped with four individually addressable relays. Built-in Ethernet enables the convenience of control from an RTI XP series control processor via the LAN. An IR input allows the RCM-4 to be triggered from many different sources, including RTI in-wall controllers, control processors or third-party infrared repeater systems. Commands trigger open and close functions as well as adjustable hold times for momentary relay operation. The RCM-4 can be powered from the included power supply or PoE.	R 4 060,00
	10-210342-13	PDM-1	The PDM-1 is a phone/doorbell mute wall plate that connects to the back of a AD-4	R 1 530,00
	40-210285-22	PS16-1	The PS16 is used to power a single in-wall touchpanel, when a CB-4 connecting block is not used. Power supply for RK3 and K4	R 1 090,00
	20-210016-12	SPS-1	The SPS-1 Video Sync Power Sensor monitors the on and off status of almost any video component.	R 1 310,00

CODE	Accessories	RRP incl VAT
40-210154-17	Battery - 3,6VDC, 950mAh - T1, T1B, T1B+, T2+	R 980,00
30-210055-16	Battery - 3,6VDC, 1200mAh - T2B, T2C, T2Cs, T2C+, T3	R 980,00
30-210218-17	Battery - 3,6VDC, 1700mAh - T3V, T3V+	R 1 310,00
40-210742-20	Battery - 3,6VDC, 1800mAh - T2x, T2i, T3x	R 1 310,00
40-210325-17	Battery - 7,2VDC, 4000mAh - T4	R 3 250,00
Code	Power supplies	RRP incl VAT
40-210732-19	Power supply - 12V, 1A - RP1, XP processors, PCM-4, ZM-24, RCM-4, CPB-1	R 980,00
40-210741-19	Power supply - 5V for T1, T1B, T2+, T2B, T2Cs, T2C, T3, T3V	R 980,00
Code	Back Boxes / Rack mount products	RRP incl VAT
BB-RK2/RK3/KX7	RK2/RK3/KX7 Back Box	R 1 160,00
BB-K4/RK10	KX7 back box	R 1 160,00

All prices include 14% VAT
Prices are subject to change without notice
Terms and conditions apply
All parts carry a one 1 year warranty, batteries 90 day warranty