

ACTION

INTEGRATED AMPLIFIERS



A40Virtus

Hi Performance Tube stereo amplifier 40W push-pull of KT66 pentode configuration. "All tubes technology". Remote control and USB input.

Black

€ 5.540,00



A50Taurus

Hi Performance Tube stereo amplifier 50W push-pull of KT88 pentode configuration. "All tubes technology". Remote control and USB input.

Black

€ 5.900,00



A100Titan

Hi Performance Tube stereo amplifier 100W Parallel Push-Pull of KT66 pentode configuration. "All tubes technology". Remote control and USB input.

Black

€ 6.890,00

METROPOLIS

INTEGRATED AMPLIFIERS



NYC 100i

Dual Mono Hi-Performance Integrated Audio amplifier. **All tube technology.** 100W per channel by Parallel Push-Pull of KT66. Wooden remote control.

Black/Wood

€ 12.790,00



NYC 175i

Dual Mono Hi-Performance Integrated Audio amplifier. **All tube technology.** 180W per channel by Parallel Push-Pull of KT88. Wooden remote control.

Black/Wood

€ 18.350,00



NYC 200i

Dual Mono Hi-Performance Integrated Audio amplifier. **All tube technology.** 250W per channel by Parallel Push-Pull of KT120. Wooden remote control.

Black/Wood

€ 23.270,00

ROMA

Integrated Amplifiers



ROMA753AC

Integrated tube amplifier. 50W per channel Push-Pull of EL34 pentode configuration. 2 x 12AU7 input/phase splitter. Remote control for volume and inputs select.

Wood/Black/Dark

€ 3.230,00



ROMA510AC

Integrated tube amplifier. 80W per channel Push-Pull of KT88 pentode configuration. 1 x 12AX7 input and 1 x 12BH7 phase splitter. Remote control for volume and inputs select.

Wood/Black/Dark

€ 3.650,00



ROMA96DC+

Integrated tube amplifier. 25W per channel in pure A class. Push-Pull of EL34 pentode configuration. 1 x 12AX7 input and phase splitter. Analogue inputs: 2 line, 1 phono (MM). Digital inputs: USB 2.0, DSD 5.6MHz, S/PDif coax, Optical. D/A conversion 32Bit 768KHz. Remote control for volume and inputs select.

Wood/Black/Dark

€ 2.290,00



ROMA96DC

Integrated tube amplifier. 25W per channel in pure A class. Push-Pull of EL34 pentode configuration. 1 x 12AX7 input and phase splitter. Remote control for volume and inputs select. Analogue inputs: 3 line, 1 phono (MM).

Wood/Black/Dark

€ 1.990,00

ROMA96DC+ AI

Integrated tube amplifier. 25W per channel in pure A class. Push-Pull of EL34 pentode configuration. 1 x 12AX7 input and phase splitter. Analogue inputs: 2 line, 1 phono (MM). Digital inputs: USB 2.0, DSD 5.6MHz, S/PDif coax, Optical. D/A conversion 32Bit 768KHz. Remote control for volume and inputs select. Anodized aluminium knob and front panel.

Silver/Black

€ 2.690,00

ROMA96DC AI

Integrated tube amplifier. 25W per channel in pure A class. Push-Pull of EL34 pentode configuration. 1 x 12AX7 input and phase splitter. Remote control for volume and inputs select. Anodized aluminium knob and front panel. Analogue inputs: 3 line, 1 phono (MM).

Silver/Black

€ 2.390,00



ROMA37DC+

Hybrid integrated amplifier. 500W per channel input and phase splitter by selected ECC88. Analogue inputs: 4 line, 1 phono (MM). Digital inputs: USB 2.0, DSD 5.6MHz, Optical. D/A conversion 32Bit 384Khz. Remote control for volume and inputs select.

Wood/Black/Dark

€ 3.190,00



ROMA37DC

Hybrid integrated amplifier. 500W per channel input and phase splitter by selected ECC88. Analogue inputs: 2 line, 1 phono (MM). Remote control for volume and inputs select.

Wood/Black/Dark

€ 2.890,00



ROMA81DC+

Digital integrated amplifier. 500W per channel input and phase splitter by selected Op-Amp. Analogue inputs: 4 line, 1 phono (MM). Digital inputs: USB 2.0, DSD 5.6MHz, Optical. D/A conversion 32Bit 384Khz. Remote control for volume and inputs select.

Wood/Black/Dark

€ 2.750,00



ROMA81DC

Digital integrated amplifier. 500W per channel. Input and phase splitter by selected Op-Amp. Analogue inputs: 2 line, 1 phono (MM). Remote control for volume and inputs select.

Wood/Black/Dark

€ 2.290,00



ROMA54DC+

Digital integrated amplifier. 170W per channel input and phase splitter by selected Op-Amp. Analogue inputs: 2 line, 1 phono (MM). Digital inputs: USB 2.0, DSD 5.6MHz, Optical D/A conversion 32Bit 384Khz. Remote control for volume and inputs select. Headphone output.

Wood/Black/Dark

€ 1.990,00



ROMA54DC

Digital integrated amplifier. 170W per channel input and phase splitter by selected Op-Amp. Analogue inputs: 2 line, 1 phono (MM). Remote control for volume and inputs select. Headphone output.

Wood/Black/Dark

€ 1.690,00

ROMA54DC+ AI

Digital integrated amplifier. 170W per channel input and phase splitter by selected Op-Amp. Analogue inputs: 2 line, 1 phono (MM). Digital inputs: USB 2.0, DSD 5.6MHz, Optical D/A conversion 32Bit 384Khz. Remote control for volume and inputs select. Headphone output. Anodized aluminium knob and front panel.

Wood/Black/Dark

€ 2.390,00

ROMA54DC AI

Digital integrated amplifier. 170W per channel input and phase splitter by selected Op-Amp. Analogue inputs: 2 line, 1 phono (MM). Remote control for volume and inputs select. Headphone output. Anodized aluminium knob and front panel.

Wood/Black/Dark

€ 2.090,00

Tube Compact Disc Player



ROMA14DC+ Compact disc player with 2xECC88 tube output. D/A conversion 32Bit 384Khz. TEAC Mechanism. Digital inputs: USB 2.0, DSD 5.6MHz, Optical. Outputs: Variable analogue output, optical output. Wood/Black/Dark € 2.490,00

ROMA14DC Compact disc player with 2xECC88 tube output. D/A conversion 32Bit 384Khz. TEAC Mechanism. Outputs: Variable analogue output, optical output. Wood/Black/Dark € 2.050,00

Tube Headphone Integrated Amplifier



ROMA41DC+ Tube headphone integrated amplifier 3W power output by 2xECL82/6BM8 in a Single-Ended pure A class configuration. Automatic impedance select (BLS patent) from 16 to 600 ohm load. Speakers output. Digital inputs: USB 2.0, DSD 5.6MHz, Optical. Analogue inputs: 1 line / Outputs: Variable analogue output, optical output. D/A conversion 32Bit 384Khz Wood/Black/Dark € 2.550,00

ROMA41DC Tube headphone integrated amplifier 3W power output by 2xECL82/6BM8 in a Single-Ended pure A class configuration. Automatic impedance select (BLS patent) from 16 to 600 ohm load. Speakers output. Analogue inputs: 2 line Outputs: Variable analogue output, optical output. Wood/Black/Dark € 2.300,00

ROMA41DC+ AI Tube headphone integrated amplifier 3W power output by 2xECL82/6BM8 in a Single-Ended pure A class configuration. Automatic impedance select (BLS patent) from 16 to 600 ohm load. Speakers output. Digital inputs: USB 2.0, DSD 5.6MHz, Optical. Analogue inputs: 1 line / Outputs: Variable analogue output, optical output. D/A conversion 32Bit 384Khz. Anodized aluminium knob and front panel. Wood/Black/Dark € 2.850,00



ROMA41DC AI Tube headphone integrated amplifier 3W power output by 2xECL82/6BM8 in a Single-Ended pure A class configuration. Automatic impedance select (BLS patent) from 16 to 600 ohm load. Speakers output. Analogue inputs: 2 line Outputs: Variable analogue output, optical output. Anodized aluminium knob and front panel. Wood/Black/Dark € 2.580,00

Tube Digital to Analogue Converter



ROMA69DC

Tube DAC with D/A conversion 32Bit 384Khz output stage by selected 2xECC88 in white follower configuration. Digital inputs: USB 2.0, DSD 5.6MHz, Optical. Outputs: Variable analogue output, optical output. Headphone output.

Wood/Black/Dark

€ 2.590,00



ROMA69DC AI

Tube DAC with D/A conversion 32Bit 384Khz output stage by selected 2xECC88 in white follower configuration. Digital inputs: USB 2.0, DSD 5.6MHz, Optical. Outputs: Variable analogue output, optical output. Headphone output. Anodized aluminium knob and front panel.

Wood/Black/Dark

€ 2.840,00

Tube Phone Stage



ROMA79DC

Tube phono stage MC and MM inputs. MM input capacitor selected by front knob and showed on LCD. MC input impedance selected by front knob and showed on LCD. Input MC by low noise FET and output stage by selected ECC82 in white follower configuration. RIAA accuracy 0,5%.

Wood/Black/Dark

€ 1.890,00



ROMA79DC AI

Tube phono stage MC and MM inputs. MM input capacitor selected by front knob and showed on LCD. MC input impedance selected by front knob and showed on LCD. Input MC by low noise FET and output stage by selected ECC82 in white follower configuration. RIAA accuracy 0,5%. Anodized aluminium knob and front panel.

Wood/Black/Dark

€ 2.120,00